

11.03.2019

Certificate of Analysis

From 28.02.2019 to 11.03.2019 we examined on behalf of company Vanatari International GmbH, Pankstr. 8, Aufgang R, 13127 Berlin a sample with our test report number 2541912-347186 with the sample code "Vitamin K2" for the following parameters:

- **Aerobic mesophilic plate count (total plate count)**
- **Aluminium**
- **Arsenic (As)**
- **Cadmium (Cd)**
- **Enterobacteriaceae**
- **Escherichia coli**
- **Lead (Pb)**
- **Mercury (Hg)**
- **Moulds**
- **Presumptive Bacillus cereus**
- **Salmonella spp. in 25g**
- **Staphylococcus, coagulase-positive**
- **Vitamin K2**

With regard to the examined parameters mentioned above, as well as taking into account the measuring tolerances, processing factors and the currently valid limit values / recommendation values, from our point of view the product is considered to be marketable in Germany.



Frau Stefanie Denker
officially approved foodchemist
customer relation management food

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This Certificate of Analysis does not replace the test report we have created. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>